

Subject Index, Volume 3 1989

- Acantharchus pomotis*, 88–90
Accipiter gentilis, 133
Accipiter nisus, 133
Acid precipitation, effects on tiger salamander, 149–157
Advocacy, by scientists, 178–179
Africa
 herbivore extinctions in, 408–411
 savanna ecosystems of, 407–408
Air plant (*Kalanchoe pinnata*), 235
Amazonia, oligarchic forests of
 dicotyledonous tree species in, 343–344
 exploitation and management of, 345–346
 fruit yield in, 344–345
 palm species in, 342–343
 population density of, 344–345
 potential for increased utilization, 346–347
American conservation movement, historical perspective, 99–100
American lobsters (*Homarus americanus*), 261
Amia calva, 88–90
Ammospiza maritima nigrescens, 57
Angel's trumpet (*Datura arborea*), 235
Antilocapra americana, 257
Apple snails (*Pomacea paludosa*), 303
Aquatic species, bottomland hardwood forest loss and, 285
Aquila chrysaetos, 133
Aramus quarauna, 309
Asia
 adoption of improved rice varieties, 24
 conservation of large mammals in, 419–420
Aspen (*Populus tremuloides*), 221
Australia
 kangaroo harvesting in, 194–197
 land degradation in, 194
 wetlands, conservation of, 209–210
 wet tropics of, ecology of, 418–419
Avocado (*Persea americana*), 235

Bald Eagles (*Haliaeetus leucocephalus*), 309
Balsa trees (*Ocroma pyramidale*), 235
Bamboo (*Bambusa quadrata*), 235
Beach shrub (*Caesalpinia bonduc*), 235
Bertolletia excelsa, 347
Biocultural human diversity, 97–98
Biodiversity
 conservation biology and, 202–203
 historical perspective of, 100–101
 hybridization and, 53
 lack of respect for, 415
 national forests and, 204–205
 in Paraguay, conservation of, 118–119
 protection, status assessment of, 85–87
 research projects, evaluation of, 416–418
 value of, 101–102
Biological conservation, limited role of biologist in, 321
Biologists
 effectiveness in influencing land and wildlife management, 126–127
 obligations of, 329–330
Biosphere reserves, 109–110
Biotic interchange
 biologic invasion and, 275
 Trans-Arctic, 275–276
Bird species. *See also specific birds*
 changes in, bottomland hardwood forest loss and, 284–292
 conservation and management of, 103–105
Black bear (*Ursus americanus*), 257
Blood typing, of rare British sheep, 382–384
Bonelli Eagle (*Hieraaetus fasciatus*), 133
Bos taurus, 231–232
Bottomland hardwood forest wetlands
 loss of, bird species and, 284–285
 protection of, 283
Bowfin (*Amia calva*), 88–90
Bracken fern (*Pteridium aquilinum*), 231
Brazil, population density and fruit yield of oligarchic forests, 344–345
Brazilian pepper (*Schinus terebinthifolius*), 304–305
Brazil nuts (*Bertolletia excelsa*), 347
Brown bullhead (*Ictalurus nebulosus*), 88–90
Buckeye butterfly (*Junonia coenia*), 319
Bursera graveolens, 229
Buteo buteo, 133
Buzzard (*Buteo buteo*), 133

Caesalpinia bonduc, 235
California
 gill netting in, 171–172
 grasslands of, 83–84
 California Condors (*Gymnogyps californianus*), 309
 California Polytechnic University, Institute for Regenerative Studies, 218–219
Canada
 bear mortality in Alberta Grizzly Bear Ecosystem, 222–223
 grizzly bear habitat in southwestern Alberta, 220
Cancer magister, 254
Cancer spp., 261
Canis lupis, 257
Canis lupus, 309
Carbon dioxide, enriched environments of, 59–60, 318–319
Carcharodon carcharias, 173
Castela galapageia, 230
Catalina mahogany (*Cercocarpus traskiae*), hybridization in, 52–57
Cattle (*Bos taurus*), 231–232
Cedrela odorata, 235

- Cercocarpus betuloides*, 54–57
Cercocarpus traskiae, 52–57
Chain pickerel (*Esox niger*), 88–90
Cigar-box cedar (*Cedrela odorata*), 235
Citrus spp., introduction to Galápagos Islands, 234–235
Clean Air Act of 1970, 170–171
Clean Water Act of 1977, 283
Clerodendron molle, 229
Commiphora, 408
Common Murre, effect of gill netting on, 174–175
Common property resources, management of, 102–103
Competitive dominance, 275
Conservation biology
 and biodiversity crisis, 202–203
 description of, 82–94
 historical perspective, 99–107
 research priorities in, 416–418
 in Russia, 208–209
Conservation education, 10, 116–117
Conservation plan, for species facing extinction from habitat destruction, 294
Coos bay, Oregon, introduced species in South Slough National Estuarine Research Reserve, 268
Coral islands, 336
Coral reefs, conservation and, 326–327
Costa Rica, national parks in, 109
Crop genetic resources
 Asian Rice experiment and, 24
 compensation and, 80–81
 conservation of, 19–27
 dual mandate and, 21
 first generation, 19–21
 genetic erosion, 23–24
 new approaches to, 26–28
 nongovernmental organizations and, 78–79, 80
 revisionist view of, 21–23
 rural development efforts and, 77–79
 sovereignty and, 80–81
 technological change and, 24–26
Crus canadensis pratensis, 309
Cryptocarpus pyriformis, 229
Cultures, human, extinction of, 97–98
- Datura arborea*, 235
Deforestation, 106–107
Desertification, 106–107
Diurnal raptors, conservation of, 192–193
Domestic livestock, grizzly bear population and, 221
Donkeys (*Equus asinus*), introduction to Galápagos Islands, 227, 232–233
Drosophila hydei, spatial structure and population extinction, 45–50
Drosophila pseudoobscura, spatial structure and population extinction, 45–50
Drought, Florida snail kite preservation and, 307–309
Drought-related habitats, as emergency habitats for Florida Snail Kite, 307–308
Dungeness crab (*Cancer magister*), 254
Dusky Seaside Sparrow (*Ammodramus maritima nigrescens*), 57
- Ecological literacy, 334–335
Eelgrass-associated limpet (*Lottia alveus*), 240
Electrophoresis
 of *Cercocarpus* leaf enzymes, 54–57
 of fish enzymes, 88–90
Elephant grass (*Pennisetum purpureum*), introduction to Galápagos Islands, 235
Elephas recki, 408
Endangered species. *See specific endangered species*
Endangered Species Act
 conservation goals and, 170–171
 downlisting and delisting criteria, 11–12
 habitat protection and, 12, 308
 recovery of threatened or endangered species, 11
Enhydra lutris. *See* Sea otters
Environmental warfare, 324–325
Enzymes
 of *Cercocarpus* leaves, 54–57
 from fish, electrophoresis of, 88–90
Equus asinus, 232–233
Erimyzon sucetta, 88–90
Esox americanus, 88–90
Esox niger, 88–90
Eugenia jambos, 235
European Sparrowhawk (*Accipiter nisus*), 133
Euterpe oleracea, 343–344, 345
Evolutionary effects, of sea otter predation, 255
Exotic species, introduction of, International conventions to control, 270–271
Explosive munitions remnants, environmental effects of, 324
Extinction
 among marine species, 240–241
 classification of, 252, 253
 global, 329–330
 of human cultures, 97–98
 invasion of species during biotic interchange and, 274–279
 of kangaroos, 194–195
 megafaunal, 405–411
 in spatially structured populations, 45–50, 243–249
 of Steller's sea cow, 259–260
Extractive reserves, 347
- Feral populations
 genetic conservation, methods and goals of, 315–316
 livestock, genetic basis for conservation, 312–314
Fish species. *See also specific fish*
 bottomland hardwood forest loss and, 285
 genotypic data, nondestructive methods for obtaining, 88–90
Florida Sandhill Crane (*Crus canadensis pratensis*), 309
Florida Snail Kite (*Rostrhamus sociabilis*), drought, Snail Kite conservation and, 302–310
Foothill spruce (*Pinus contorta*), 221
French Guiana, conservation of rain forest raptors, 128–136
Fruit bats (*Pteropus mariannus*), in Mariana Islands, 66–75
Fruit species
 in Iquitos area of Peru
 misuse of, 358–361
 use of, 350–358

- in oligarchic forests of Amazonia, yields of, 344–345
- Galápagos Islands
 donkeys, introduction to, 232–233
 flora of, 227, 228
 goats, introduction of, 227, 229–231
 pigs, introduction to, 232
 plants, introduction to, 233–235
 vegetation zones of, 228–229
- Gambusia affinis*, 11, 12–13, 88–90
- Game birds, conservation of, 192–193
- Genetic conservation
 of feral populations, 315–316
 of rate British pigs, 30–38
- Genetic erosion, 23–24
- Genetic resources, use and control of, 205–207
- Gila topminnow (*Poeciliopsis o. occidentalis*), recovery of, 11–14
- Gill netting, in Central Californina, 171–172
 effect on Common Murre, 174–175
 initiative in Washington, 175–176
 temporary restrictions on, 174
 threat of litigation, 176–177
- Glaucous-wing Gulls (*Larus glaucescens*), 255
- Goats (*Capra bircus*), introduction to Galápagos Islands, 227, 229–231
- Golden Eagle (*Aquila chrysaetos*), 133
- Goshawk (*Accipiter gentilis*), 133
- Government funding, for research in Britain, 414
- Grassland birds, conservation and management of, 104–105
- Great white sharks (*Carcharodon carcharias*), 173
- Greenhouse effect, 59, 318, 329–330
- Green sea urchin (*Strongylocentrotus polyacanthus*), 254
- Grias peruviana*, 343, 345
- Grizzly bear (*Ursus arctos*)
 genetically effective population sizes, 181–190
 habitat in southwestern Alberta, 220
 mortality of, 222–223
- Grus americana*, 309
- Guava (*Psidium guajava*), 227, 233–234
- Gulf Islands National Seashore, Florida, reestablishment of Perdido key beach mouse, 397–403
- Gymnogyps californianus*, 309
- Habitat
 alteration of, effects on migratory land birds, 138–146
 drought-related, as emergency habitats for Florida Snail Kite, 307–308
 protection, for preservation of biological diversity, 303
 selection of, and rarity of rain forest raptors, 133–135
- Haliaeetus leucocephalus*, 309
- Hemp (*Furcraea cubensis*), 235
- Herbicides, in war, 323–324
- Herbivores
 extinctions during Pleistocene era, 405–411
 insect, enriched carbon dioxide environments and, 319
- Hexagrammos lagocephalus*, 255
- Hieraaetus fasciatus*, 133
- Homarus americanus*, 261
- Homing behavior, 257
- Honey Buzzard (*Pernis apivorus*), 133
- Human cultures, extinction of, 97–98
- Hydrodamalis gigas*, global extinction of, 252, 253, 259–260
- Ictalurus nebulosus*, 88–90
- Indonesia, seabird colonies, threats to, 336–337
- Insect species, herbivorous, threatened by enriched carbon dioxide environments, 319
- International Board for Plant Genetic Resources (IBPGR)
 creation of, 20
 priority monitoring system of, 26–27
- Invasion, biological
 biotic interchange and, 275
 of Eurasian plant species in native prairie vegetation, 39–43
 evolutionary vs. ecological histories of natural communities in oceans, 267–269
 mechanisms of human dispersal in ocean and, 266–267
 in oceans, 269–270
- Island ecosystems, biological invasions of, 227–229
- Jasminocereus thouarsii*, 229
- Jasus lalandii*, 253
- Jessenia bataua*, 343, 345
- Junonia coenia*, 319
- Kakapo (*Strigops habroptilus*), genetic variation and conservation of, 92–95
- Kangaroo, harvesting proposal for, 194–197
- Kelp forest ecosystems
 extinctions in, 252–262
 sea otters in, local extinction of, 254–259
 spiny lobsters, ecological extinction in, 260–261
 Stellar's sea cow global extinction in, 259–260
- Keystone herbivore hypothesis, 406–407
- Lake chubsucker (*Erimyzon sucetta*), 88–90
- Lantana (*Lantana camara*), introduction to Galápagos Islands, 234
- Largemouth bass, (*Micropterus salmoides*), 88–90
- Larus glaucescens*, 255
- Lepomis gulosus*, 88–90
- Lepomis punctatus*, 88–90
- Limpkin (*Aramus guarauna*), 309
- Lingcod (*Ophiodon elongatus*), 261
- Livestock, domestic, grizzly bear population and, 221
- Loco (*Concholepis concholepis*), 261
- Lottia alveus*, 240
- Mammals. *See also specific mammals*

- conservation of, in Asia, 419–420
- population studies, 105–106
- Mariana Islands, fruit bats population estimates in, 66–75
- Marine ecosystems
 - conservation of, 240–241
 - introduced species in, 266–271
- Marine Mammal Protection Act, 170–171, 175
- Mauritia flexuosa*, 343, 345–346
- Miconia robinsoniana*, 227, 231–232
- Micropterus salmoides*, 88–90
- Migratory Bird Treaty Act, 175
- Migratory land birds, habitat alteration effects, 138–146
- Mojave ground squirrel (*Spermophilus mohavensis*), 86
- Mosquitofish (*Gambusia affinis*), 11, 12–13, 88–90
- Mud sunfish (*Acantharchus pomotis*), 88–90
- Mycteria americana*, 309
- Myrciaria dubia*, 343, 345, 346
- National Environmental Policy Act of 1969, 170–171
- National forests, biodiversity and, 204–205
- National Parks
 - evolutionary biology in, 109–110
 - in Paraguay, 118–119
- Natural gas exploration and development activities, effect on grizzly bears, 220–221
- Natural resources
 - conservation of, International conflict and, 322–326
 - management of, conservation biology and, 123–127
- New Zealand, conservation of Kakapo, 92–95
- North American prairie, plant and bird communities of, 39–43
- Northern Spotted Owl (*Strix occidentalis caurina*)
 - natural history and forest management controversy, 389–390
 - prior theoretical analyses, 390–391
 - spatial vs. nonspatial population simulations, 391–395
- North Sea Basin pelecypods, pattern of extinction and invasion, 276–279
- Ochroma pyramidale*, 235
- Ophiodon elongatus*, 261
- Opuntia echinos*, 229
- Orbignya phalerata*, 344, 345, 346
- Oyster culture, 266–267
- Panulirus interruptus* (spiny lobster), ecological extinction of, 252
- Paraguay
 - conservation of biological diversity in, 118–119
 - private conservation programs in, 120
- Passion fruit (*Passiflora edulis*), 235
- Pasture grasses, introduction to Galápagos Islands, 235
- Patch shape, 46
- Patch size, snail extinction rates and, 242–249
- Pecos gambusia (*Gambusia nobilis*)
 - conservation genetics of, 162–167
 - distribution and habitat of, 159–162
 - maintenance of spring habitats, 413
- Pelecaniformes, 336
- Perdido key beach mouse (*Peromyscus polionotus trissyllepsis*), reestablishment on Gulf Islands National Seashore, 397–403
- Pernis apivorus*, 133
- Peru
 - fruit species of, 350–358
 - misuse of fruit species in 358–361
 - population density and fruit yield of oligarchic forests, 344–345
- Petroleum exploration and development activities, effect on grizzly bears, 220–221
- Pheasants (*Phasianus colchicus*), conservation and management of, 103–104
- Picea glauca*, 221
- Picea rubens*, 106–107
- Picoides borealis*, 309
- Pigs
 - feral, 227, 313
 - introduction to Galápagos Islands, 232
 - population trend, 32–33
 - rare British, breeding of, 33–38
 - registration of, in Britain, 30–32
- Pinespruce (*Picea glauca*), 221
- Pinus contorta*, 221
- Pismo clam (*Tivela stultorum*), 254
- Plantain (*Plantago lanceolata*), 319
- Plant genetic resources
 - conservation of, 19–21
 - use and control of, 205–207
- Plant species, See also *specific plants*
 - threatened by enriched carbon dioxide environments, 318–319
- Pleistocene era, herbivore extinctions during, 405–411
- Poeciliopsis o. occidentalis*, recovery of, 11–14
- Point Reyes Bird Observatory
 - history of, 171
 - role in gill netting controversy, 177–178
 - search for legislative solution to gill netting problem, 172–174
- Pomacea paludosa*, 303
- Population fragmentation
 - effect on extinction, 243–244
 - snail extinction rates and, 242–249
- Population viability, 207–208
- Populus tremuloides*, 221
- Portulaca bowellii*, 230
- Potential natural vegetation types, 85–87
- Primates
 - equilibrium properties of basic model, 379–380
 - journal survey, criteria for, 379
 - population dynamics and conservation of, 362–375
- Pronghorn (*Antilocapra americana*), 257
- Protein polymorphisms, of rare British sheep, 382, 384–387
- Pteridium aquilinum*, 231
- Purple sea urchins (*Strongylocentrotus purpuratus*), 254
- Quinine (*Cinchona succubra*), introduction to Galápagos Islands, 234

Quinine trees, 227

Recharge well, to raise water table, 413
 Red-Cockaded Woodpeckers (*Picoides borealis*), 309
 Redfin pickerel (*Esox americanus*), 88–90
 Red sea urchins (*Strongylocentrotus franciscanus*), 254
 Red spruce (*Picea rubens*), 106–107
 Regenerative technology, 218–219
 Rice, diffusion of improved varieties, 24
 Rock crabs (*Cancer* spp.), 261
 Rock greenling (*Hexagrammos lagocephalus*), 255
 Rose apple (*Eugenia jambos*), 235
Rostrhamus sociabilis, drought, Snail Kite conservation and, 302–310
 Russia, conservation biology in, 208–209

Salix caroliniana, 304–305
 Salt marsh harvest mouse (*Reithrodontomys raviventris*)
 endangerment of, 60–61
 impact of San Francisco bay, 61–63
 management of, shifts in, 63–64
 recovery plan for, 61
 San Francisco Bay
 accelerated rise in, potential impact of, 61–62
 diked marshes of, 62–63
Scalesia baurii, 231
Scalesia belleri, 230
Scalesia pedunculata, 229, 231
Schinus terebinthifolius, 304–305
 Scientists. *See also* Biologists
 role as advocates, 178–179
 Sea bass (*Stereolepsis gigas*), 261
 Seabird colonies, in Indonesia, threats to, 336–337
 Sea birds, and gill netting in Central California, 170–180
 Sea otters (*Enhydra lutris*), 252, 253
 local extinction of, 254–259
Semicossyphus pulcher (sheephead), 261
 Sheep
 in Australia, 195–196
 feral, on Santa Cruz Island, 314–315
 native Louisiana, gastrointestinal nematode infection and, 313
 rare British, 381–387
Sheephead (*Semicossyphus pulcher*), 261
 SLOSS, 82–83
 Snail (*Nucella emarginata*), extinction rates of, effect of patch size and population fragmentation, 242–249
 Snowy Plover (*Charadrius alexandrinus*), hand- vs. wild-reared breeding, 198–201
 Soils, supporting Stephen's kangaroo rat, 295
Solanum erianthum, 231
 Sonoran topminnow (*Poeciliopsis occidentalis*), 11, 13
 South African spiny lobster, 260–261, 262
 Southern Sea Otter (*Enhydra lutris nereis*), 175–176
Spermophilus mobavenensis, 86
 Spiny lobster (*Panulirus interruptus*)
 ecological extinction in kelp forest ecosystems, 260–261

ecological extinction of, 252
 Spotted Owl (*Strix occidentalis*), 125
 Spotted salamander (*Ambystoma maculatum*), 150
 Spotted sunfish (*Lepomis punctatus*), 88–90
 Steller's sea cow (*Hydrodamalis gigas*), global extinction of, 252, 253, 259–260
 Stephen's kangaroo rat (*Dipodomys stephensi*), potential distribution of, 294–300
Stereolepsis gigas, 261
Strigops habroptilus, genetic variation and conservation of, 92–95
Strix occidentalis, 125
Strongylocentrotus franciscanus, 254
Strongylocentrotus polyacanthus, 254
Strongylocentrotus purpuratus, 254
Sus scrofa, introduction to Galápagos Islands, 232

Taxonomists, British, 414
 Taxonomy, 415
 Tensas Watershed, Louisiana, faunal changes in, 282–292
 Terns, 336
Themeda triandra, 408
 Threatened species
 downlisting to, 11–12
 gill-net incidental kills and, 175–176
 Tiger salamander (*Ambystoma tigrinum*), effects of acid precipitation, 149–157
 Timber wolves (*Canis lupus*), 309
Tivela stultorum, 254
 Trans-Arctic interchange, 275–276
 Tropical forests, tree species diversity in, 342
 Tropical rain forests, destruction of, threat to biodiversity, 213–215
 Tropical raptors, conservation of, 192–193
 United States, National Forest Service, 204–205
Ursus americanus, 257
Ursus arctos
 genetically effective population sizes, 181–190
 habitat in southwestern Alberta, 220
 mortality of, 222–223

Warmouth (*Lepomis gulosus*), 88–90
 Wars
 explosive munitions remnants, environmental effects of, 324
 herbicides in, 323–324
 Water table, recharge wells and, 413
 Whooping Cranes (*Grus americana*), 309
 Wildlife habitats, in Eastern United States, 420–421
 Willow (*Salix caroliniana*), 304–305
 Wolf (*Canis lupus*), 257
 Wood Stork (*Mycteria americana*), 309

Zanthoxylum fagara, 229, 230

Author Index, Volume 3, 1989

- Aberbom L *See* Rieseberg LH
Allendorf FW *See* Harris RB
Altieri MA
 Rethinking crop genetic resource conservation: a view from the south, 77-79
Anderson AB *See* Peters CM
Anderson H *See* Scott JM
- Baer A
 Maintaining biocultural diversity, 97-98
Balick MJ *See* Peters CM
Beissinger SR *See* Takekawa JE
Belcher JW *See* Wilson SD
Bowman DMJS, Whitehead PJ
 The conservation of Australian wetlands (book review), 209-219
Brush SB
 Rejoinder to Altieri, 80-81
 Rethinking crop genetic resource conservation, 19-29
Burdick DM, Cushman D, Hamilton R, Gosselink JG
 Faunal changes and bottomland hardwood forest loss in the Tensas watershed, Louisiana, 282-292
- Carlton JT
 Man's role in changing the face of the ocean: biological invasions and implications for conservation of near-shore environments, 265-273
Clarke SW, Tucker EM, Hall SJG
 Genetic polymorphisms and their relationship with inbreeding and breed structure in rare British sheep: the Portland, Manx Loghtan, and Hebridean, 381-388
Csuti B *See* Scott JM
Cushman D *See* Burdick DM
- Daugherty CH *See* Triggs SJ
Dawson RM *See* Holler NR
de Korte J
 Threats to Indonesian seabird colonies, 336-337
Deshmukh I
 On the limited role of biologists in biological conservation, 321
Disney RHL
 Does anyone care?, 414
Doak D
 Spotted Owls and old growth logging in the Pacific northwest, 389-396
Dobson AP, Lyles AM
 The population dynamics and conservation of primate populations, 362-380
Duggins DO *See* Estes JA
- Ebersole J
 Coral reefs of the world. Vol. 1: Atlantic and Eastern Pacific (book review), 326-327
Echelle AA *See* Echelle AF
Echelle AF, Echelle AA, Edds DR
 Conservation genetics of a spring-dwelling desert fish, the pecos gambusia (*Gambusia nobilis*, Poeciliidae), 159-169
Edds DR *See* Echelle AF
Egler F
 Aldo Leopold: his life and work (book review), 99-100
 The American Conservation Movement: John Muir and his legacy (book review), 99-100
Ehrenfeld D
 Is anyone listening?, 415
 The next environmental crisis, 1-3
Endo PR *See* Price MV
Estes JA, Duggins DO, Rathbun GB
 The ecology of extinctions in kelp forest communities, 252-264
Estes JE *See* Scott JM
- Fajer ED
 How enriched carbon dioxide environments may alter biotic systems even in the absence of climatic changes, 318-320
Falk D
 Last stand of the red spruce (book review), 106-107
Forney KA, Gilpin ME
 Spatial structure and population extinction: a study with *Drosophila* flies, 45-51
Foster JR
 National forests: policies for the future (book review), 204-205
 Reforming the forest service (book review), 204-205
Freeland WJ
 The ecology of Australia's wet tropics (book review), 418-419
- Gadgil M
 Why preserve natural variety? (book review), 101-102
Gauto R
 Private conservation programs in Paraguay, 120
Gentry AH *See* Vasquez R
Gill DE
 Biodiversity (book review), 100-101
Gilpin ME *See* Forney KA
Given DR
 Proceedings of the conference on common property resource management (book review), 102-103
Gosselink JG *See* Burdick DM
Grant PR

- Stones of silence: journeys in the Himalaya (book review), 419-420
- Grigg G
Kangaroo harvesting and the conservation of arid and semi-arid rangelands, 194-197
- Hall SJG *See also* Clarke SW
Breed structures of rare pigs: implications for conservation of the Berkshire, Tamworth, Middle White, Large Black, Gloucester Old Spot, British Saddleback, and British Lop, 30-38, 30-38
- Hamilton R *See* Burdick DM
- Harris RB, Allendorf FW
Genetically effective population size of large mammals: an assessment of estimators, 181-191
- Harte J, Hoffman E
Possible effects of acidic deposition on a rocky mountain population of the tiger salamander *Ambystoma tigrinum*, 149-158
- Hedrick PW *See* Van Vuren D
- Holler NR, Mason DW, Dawson RM, Simons T, Wooten MC
Reestablishment of the perdido key beach mouse (*Peromyscus polionotus trissyllepsis*) on Gulf Islands National Seashore, 397-404
- Horejsi BL
Uncontrolled land-use threatens an international grizzly bear population, 220-223
- Hutto RL
The effect of habitat alteration on migratory land birds in a west Mexican tropical deciduous forest: a conservation perspective, 138-148
- Inferreira JJ
Local aquifer recharge to stabilize spring discharges, 413
- Janzen DH
The evolutionary biology of national parks, 109-110
- Johnsgard PA
Ecology and conservation of grassland birds (book review), 103-104
The pheasant: ecology, management and conservation (book review), 103-104
- Judge ML *See* Quinn JF
- Kahn F *See* Peters CM
- Lemke TO *See* Wiles GJ
- Lovejoy T
The obligations of a biologist, 329-330
- Lyles AM *See* Dobson AP
- Martin TD *See* Rieseberg LH
- Mason DW *See* Holler NR
- McNeely JA
Evaluation of biodiversity projects (book review), 416-418
Research priorities for conservation biology (book review), 416-418
- Murphy DD
Conservation and confusion: wrong species, wrong scale, wrong conclusions, 82-84
- Namkoong G
Viable populations for conservation (book review), 207-208
- Noss RF
Who will speak for biodiversity?, 202-203
- Orr DW
The campus and the biosphere, 116-117
Ecological literacy, 334-335
Regeneration of the university, 218-219
The task, 10
- Owen-Smith N
Megafaunal extinctions: the conservation message from 11,000 years B.P., 405-412
- Page GW, Quinn PL, Warriner JC
Comparison of the breeding of hand- and wild-reared Snowy Plovers, 198-201
- Payne NH *See* Wiles GJ
- Peters CM, Balick MJ, Kahn F, Anderson AB
Oligarchic forests of economic plants in Amazonia: utilization and conservation of an important tropical resource, 341-349
- Powlesland RG *See* Triggs SJ
- Price MV, Endo PR
Estimating the distribution and abundance of a cryptic species, *Dipodomys stephens* (Rodentia: heteromyidae), and implications for management, 293-301
- Quinn JF, Wolin CL, Judge ML
An experimental analysis of patch size, habitat subdivision, and extinction in a marine intertidal snail, 242-251
- Quinn PL *See* Page GW
- Rathbun GB *See* Estes JA
- Rieseberg LH, Zona S, Abernomb L, Martin TD
Hybridization in the island endemic, catalina mahogany, 52-58
- Robbins LW, Tolliver DK, Smith MH
Nondestructive methods for obtaining genotypic data from fish, 88-91
- Robinson MH

- The zoo that is not: education for conservation, 213–215
- Robinson SK, Wilcove DS
Conserving tropical raptors and game birds, 192–193
- Rolston H III
Cultural norms, war and the environment (book review), 322–326
- Environmental warfare: a technical, legal and policy appraisal (book review), 322–326
- Explosive remnants of war: mitigating the environmental effects (book review), 322–326
- Global resources and international conflict: environmental factors in strategic policy and action (book review), 322–326
- Herbicides in war: the longterm ecological and human consequences (book review), 322–326
- Salwasser H *See* Thomas JW
- Salzman JE
Scientists as advocates: the Point Reyes Bird Observatory and gill netting in central California, 170–180
- Schofield EK
Effects of introduced plants and animals on island vegetation: examples from the Galápagos archipelago, 227–238
- Scott JM, Csluti B, Estes JE, Anderson H
Status assessment of biodiversity protection, 85–87
- Shellhammer HS
Salt marsh harvest mice, urban development, and rising sea levels, 59–65
- Simons T *See* Holler NR
- Smith AT
Models of nature: ecology, conservation and cultural revolution in soviet Russia (book review), 208–209
- Smith MH *See* Robbins LW
- Strauss MS
Seeds and sovereignty: the use and control of genetic resources, 205–207
- Swain RB
The field guide to wildlife habitats of the eastern United States (book review), 420–421
- The field guide to wildlife habitats of the western United States (book review), 420–421
- Takekawa JE, Beissinger SR
Cyclic drought, dispersal, and the conservation of the Snail Kite in Florida: lessons in critical habitat, 302–311
- Tamarin RH
Mammal population studies (book review), 105–106
- Thiollay JM
Area requirements for the conservation of rain forest raptors and game birds in French Guiana, 128–137
- Thomas JW, Salwasser H
Bringing conservation biology into a position of influence in natural resource management, 123–127
- Tolliver DK *See* Robbins LW
- Triggs SJ, Powlesland RG, Daugherty CH
Genetic variation and conservation of Kakapo (*Strigops habroptilus*: Psittaciformes), 92–96
- Tucker EM *See* Clarke SW
- Van Vuren D, Hedrick PW
Genetic conservation in feral populations of livestock, 312–317
- Vasquez R, Gentry AH
Use and misuse of forest-harvested fruits in the Iquitos area, 350–361
- Vermeij GJ
Invasion and extinction: the last three million years of north sea pelecypod history, 274–281
- Saving the sea: what we know and what we need to know. 240–241
- Warriner JC *See* Page GW
- Whitehead PJ *See* Bowman DMJS
- Wilcove DS *See* Robinson SK
- Wiles GJ, Lemke TO, Payne NH
Population estimates of fruit bats (*Pteropus mariannus*) in the Mariana Islands, 66–76
- Wilson SD, Belcher JW
Plant and bird communities of native prairie and introduced eurasian vegetation in Manitoba, Canada, 39–44
- Wolin CL *See* Quinn JF
- Wooten MC *See* Holler NR
- Zona S *See* Rieseberg LH

